

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

DSIP - 10mg

Tested for: Northline Labs

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 9VZJFCVK

COA #: COA-2026--WCBXY

Lot Number: NLL-6825192

Labeled Content: 10mg

Vial Size: 3mL

Analysis Date: 07/07/2026

Appearance: Good

Vial Size: 3mL

Date Received: 06/23/2026

Method: Purity & Quant (HPLC), Endotoxin (USP <85>)

Identity

DSIP

Peptide Purity

99.92%



Fentanyl
Free




DSIP 10mg - NLL-6825192

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.92%	%	PASS
Net Peptide Content	Report Only	10.7	mg	N/A
Identity (HPLC-RTM)	DSIP	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



DSIP 10mg - NLL-6825192: UV Chromatogram

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.145 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 07/07/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be DSIP by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny

Lab Director

7/7/2026

COA #: COA-2026--WCBXY

Access Code: 9VZJFCVK

Verify: lab.ils-lab.com

Issued: 7/7/2026