



11526 Sorrento Valley Road, Suite B-2 ♦ San Diego, CA 92121 ♦ USA

Phone 858-793-6057 ♦ Fax 858-793-2607

February 25, 2026

NuMega Reference #

2600KIME.943T

Kimera Chems


Quantitative Analysis Report

Bruker 500 MHz, AVII-500 and AV-500


Sample ID	BAM-15 KC-BAM-04
Standard	Ethylene Carbonate
Weight of Standard (wt _{st})	1.105
Weight of Sample (wt _{sa})	10.368
Assumed Sample Molecular Weight (MW _{sa})	340.29
Standard Molecular Weight (MW _{st})	88.06
Integration of Sample (I _{sa})	480.31
Integration of Standard (I _{st})	100
# of Equivalent Nuclei in Standard (n _{st})	4
# of Equivalent Nuclei in Sample (n _{sa})	8
Assigned Purity of Standard % (P)	99.71
Purity %	98.6%

Formula Used for Calculation:


$$WT\% = \frac{wt_{st}}{wt_{sa}} \times \frac{MW_{sa}}{MW_{st}} \times \frac{I_{sa}}{I_{st}} \times \frac{n_{st}}{n_{sa}} \times P$$




2600KIME.943D
BAM-15 KC-BAM-04
DMSO, H-1
NUMEGA 2-13-2026




2600KIME.943D
BAM-15 KC-BAM-04
DMSO, H-1
NUMEGA 2-13-2026



2600KIME.943D
BAM-15 KC-BAM-04
DMSO, H-1
NUMEGA 2-13-2026




2600KIME.943L
BAM-15 KC-BAM-04
DMSO, C-13
NUMEGA 2-13-2026



NuMega Resonance Labs
Sample Name: BAM-15_KC-BAM-04 2600KIME.943D
Acq. Date: Thursday, February 19,
2026

Polarity/Scan Type: Positive Q1 MS



NuMega Resonance Labs
Sample Name: BAM-15_KC-BAM-04 2600KIME.943D
Acq. Date: Thursday, February 19,
2026

Polarity/Scan Type: Negative Q1 MS

