Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3RT - 30mg

PASS

Tested for: Southern Aminos
31938 Temecula Pkwy, Suite A PMB #361 Temecula, CA 92592 | www.southernaminos.com

COA #:	**COA-2026-0001**	Method:	**Full Peptide QC Panel**
Lot Number:	**RT300226J**	Analysis Date:	**03/28/2026**
Concentration:	**30mg**	Appearance:	**Good**
Sample Matrix:	**White Lyophilized Powder**	Volume:	**3mL**
Received:	**03/25/2026**		

Scan to verify authenticity at ils-lab.com

Identity	Purity
GLP-3RT	**99.39%**




GLP-3RT 30mg - RT300226J

Full Peptide QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	**99.39%**	%	PASS
Net Peptide Content	Report Only	**30.10**	mg	N/A
Endotoxin (USP <85>)	< 0.05 EU/mL	**NMT 0.05 EU/mL**		PASS
Sterility (PCR)	No Growth	**No Growth**	-	PASS
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.04**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.00**	ppm	PASS
Lead (Pb)	<= 1.0 ppm	**0.66**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.00**	ppm	PASS
Chromium (Cr)	<= 10.0 ppm	**0.03**	ppm	PASS

Date Tested: 03/28/2026 | Method: Full Peptide QC Panel

HPLC Chromatogram



Representative chromatogram, Sample 1 (99.39% purity, closest to batch mean of 99.15%)

The sample was confirmed to be GLP-3RT by HPLC. Identification by chromatographic retention time comparison with a reference standard.

Dr. Greg Kalyuzhny
Lab Director
3/28/2026

COA #: **COA-2026-0001**
Access Code: **QXOVE1JX**
Verify: portal.ils-lab.com/verify/nVjbyQlLazU3Mjea
Issued: 3/28/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3RT - 30mg

PASS

Tested for: Southern Aminos
31938 Temecula Pkwy, Suite A PMB #361 Temecula, CA 92592 | www.southernaminos.com

COA #:	**COA-2026-0001**	Method:	**Full Peptide QC Panel**
Lot Number:	**RT300226J**	Analysis Date:	**03/28/2026**
Concentration:	**30mg**	Appearance:	**Good**
Sample Matrix:	**White Lyophilized Powder**	Volume:	**3mL**
Received:	**03/25/2026**		

Scan to verify authenticity at ils-lab.com

Conformity Testing Results (5 samples tested)

Sample	Purity	Net Content	ID	Result
Sample 1	99.39%	30.10 mg	30.10	**PASS**
Sample 4	99.20%	30.18 mg	99.20% (RT: 13.22 min)	**PASS**
Sample 5	99.22%	30.94 mg	99.22% (RT: 13.23 min)	**PASS**
Sample 6	98.92%	31.05 mg	98.92% (RT: 13.22 min)	**PASS**
Sample 7	99.01%	30.74 mg	99.01% (RT: 13.22 min)	**PASS**
Mean	**99.15%**	**30.60 mg**	—	—
Std Dev	**0.1658%**	**0.3909 mg**	—	—

Representative chromatogram, Sample 1 (99.39% purity, closest to batch mean of 99.15%)

Dr. Greg Kalyuzhny
Lab Director
3/28/2026

COA #: **COA-2026-0001**
Access Code: **QXOVE1JX**
Verify: portal.ils-lab.com/verify/nVjbyQlLazU3Mjea
Issued: 3/28/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.