

# Certificate of Analysis



Client:  
**Polaris Peptides**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Verify at [TrustPointeLIMS.com](https://TrustPointeLIMS.com)  
Key=CLQ8DLKVXPD4

## Sample Information

|                    |                           |                   |            |                  |                  |
|--------------------|---------------------------|-------------------|------------|------------------|------------------|
| <b>Sample Name</b> | Semaglutide 10mg, 3 vials | <b>Client SID</b> | POL-S10-14 | <b>Published</b> | 2026-04-03 11:07 |
|--------------------|---------------------------|-------------------|------------|------------------|------------------|

## Results

| Sample IDs                | SPL-3435  | SPL-3435-S01 | SPL-3435-S02 |
|---------------------------|-----------|--------------|--------------|
| TM-1002 Assay             | 12.693 mg | 12.573 mg    | 12.578 mg    |
| TM-1002 Purity            | 99.504 %  | 99.522 %     | 99.401 %     |
| TM-1002 ID by RT          | 1.00      | 1.00         | 0.99         |
| TM-1002 ID by Spectral    | 1000      | 1000         | 1000         |
| TM-1002 Coelution Control | 1000      | 999          | 1000         |
| TM-1002 System Suit       | 0.6 %RSD  | 0.6 %RSD     | 0.6 %RSD     |

## Approvals


Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director

## Attachments for SPL-3435



Attachment for SPL-3435

Filename: SPL-3435.png