



# Certificate of Analysis

## Dihexa

N-hexanoic-Tyr-Ile-(6) aminohexanoic amide


**Compound** : Dihexa  
**Lot number** : KC-DHX-03  
**Analysis date** : 2026-07-07  
**Purity %** : 98.80%  
**Method** : HPLC-UV-MS

**Client** : Kimera Chems  
[Kimerachems.co](http://Kimerachems.co)

PubChem CID: 129010512

<https://pubchem.ncbi.nlm.nih.gov/compound/129010512>

### High Performance Liquid Chromatography (HPLC) UV – Purity Test



| PEAK LIST |            | Number of detected peaks: 3 |       |        |
|-----------|------------|-----------------------------|-------|--------|
|           | Time (min) | Area                        | %Area |        |
| 1         | 7.13       | 2.20E+01                    | 0.12  |        |
| 2         | 7.57       | 1.82E+04                    | 98.80 | Dihexa |
| 3         | 9.03       | 1.98E+02                    | 1.08  |        |

Analysis Performed by  
Ken Pendarvis, ChE  
Analytical Chemist  
MZ Biolabs  
[contact@mzbiolabs.com](mailto:contact@mzbiolabs.com)



2026-07-09

# Dihexa

N-hexanoic-Tyr-Ile-(6) aminohexanoic amide

PubChem CID: 129010512

<https://pubchem.ncbi.nlm.nih.gov/compound/129010512>

## Mass Spectrometry (MS) – Identity Test

### Identity confirmed using HPLC-MS

Molecular weight calculated using monoisotopic m/z values from mass spectrum

Expected monoisotopic mass : 504.33 Da


Measured monoisotopic mass : 504.34 Da

**Molecular weight confirmed**

Note : Monoisotopic m/z values are not easily seen in full spectrum view for larger molecules and peptides.

The dominant isotopic peak (base peak) shown in the spectrum below can be used to approximate the average molecular weight frequently reported by vendors and databases as a secondary means of confirmation.

### Recorded MS spectrum



Analysis Performed by  
Ken Pendarvis, ChE  
Analytical Chemist  
MZ Biolabs  
[contact@mzbiolabs.com](mailto:contact@mzbiolabs.com)



2026-07-09