Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

FG2-T - 30mg

Tested for: Glow Aminos
www.glowaminos.com

PASS

COA #:	**COA-2026-412785**	Method:	**Full QC Panel**
Lot Number:	**GL-010141**	Analysis Date:	**06/09/2026**
Accession #:	**ACC-2026-3652**	Appearance:	**Good**
Labeled Content:	**30mg**	Sample Matrix:	**Lyophilized**
		Date Received:	**06/01/2026**

Scan to verify authenticity at ils-lab.com
Access Code: USSUYK2M

Identity	Peptide Purity	
FG2-T	**99.52%**	**Fentanyl Free**




FG2-T 30mg - GL-010141

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.52%**	%	**PASS**
Net Peptide Content	Report Only	**31.18**	mg	N/A
Identity (HPLC-RTM)	Tirzepatide	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.26% purity, closest to batch mean of 99.32%)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.52%	31.18 mg	Confirmed	**PASS**
Conformity V1	99.26%	30.69 mg	Confirmed	**PASS**
Conformity V2	99.17%	31.68 mg	Confirmed	**PASS**
Mean	**99.32%**	**31.18 mg**	—	—
Std Dev	**0.1484%**	**0.4042 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
6/9/2026

COA #: **COA-2026-412785**
Access Code: **USSUYK2M**
Verify: portal.ils-lab.com/verify/3hfbAPhhvTvHV0aD
Issued: 6/9/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**0.078 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 06/09/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be FG2-T by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Conformity V1 (99.26% purity, closest to batch mean of 99.32%).

Dr. Greg Kalyuzhny
Lab Director
6/9/2026

COA #: **COA-2026-412785**
Access Code: **USSUYK2M**
Verify: portal.ils-lab.com/verify/3hfbAPhhvTvHV0aD
Issued: 6/9/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.