Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Klow - 80mg

Tested for: Glow Aminos
www.glowaminos.com

PASS

COA #:	**COA-2026-412676**	Method:	**Full QC Panel**
Lot Number:	**GL-010132**	Analysis Date:	**06/02/2026**
Accession #:	**ACC-2026-3451**	Appearance:	**Good**
Labeled Content:	**80mg**	Sample Matrix:	**Lyophilized**
		Date Received:	**05/28/2026**

Scan to verify authenticity at ils-lab.com
Access Code: 6LV7DFMK

Identity	Peptide Purity	
Klow	**99.74%**	Fentanyl Free




Klow 80mg - GL-010132

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.74%**	%	**PASS**
Net Blend Peptide Content	Report Only	**85.19**	mg	N/A
-- GHK-Cu		*53.37*	*mg*	
-- BPC-157		*10.57*	*mg*	
-- TB-500		*10.79*	*mg*	
-- KPV		*10.46*	*mg*	
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-500 + KPV	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.74% purity, closest to batch mean of 99.74%)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.73%	84.19 mg	Confirmed	**PASS**
Conformity V1	99.74%	85.19 mg	Confirmed	**PASS**
Conformity V2	99.74%	84.53 mg	Confirmed	**PASS**
Mean	**99.74%**	**84.64 mg**	—	—
Std Dev	**0.0047%**	**0.4152 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
6/2/2026

COA #: **COA-2026-412676**
Access Code: **6LV7DFMK**
Verify: portal.ils-lab.com/verify/oJs167tzxj2_GYqA
Issued: 6/2/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 06/02/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be Klow by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-500, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
7. Chromatogram shown is representative: Conformity V1 (99.74% purity, closest to batch mean of 99.74%).

Dr. Greg Kalyuzhny
Lab Director
6/2/2026

COA #: **COA-2026-412676**
Access Code: **6LV7DFMK**
Verify: portal.ils-lab.com/verify/oJs167tzxj2_GYqA
Issued: 6/2/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.