Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cagrilintide - 5mg

PASS

Tested for: Glow Aminos
1178 Broadway, NY NY 10001 | www.glowaminos.com

COA #:	**COA-2026-0001**	Method:	**Full Peptide QC Panel**
Lot Number:	**GL-010094**	Analysis Date:	**04/04/2026**
Concentration:	**5mg**	Appearance:	**Good**
Received:	**04/02/2026**	Volume:	**3ml**

Scan to verify authenticity at ils-lab.com

Identity	Purity
Cagrilintide	**99.56%**




Cagrilintide 5mg - GL-010094

Full Peptide QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	**99.56%**	%	PASS
Net Peptide Content	Report Only	**5.23**	mg	N/A
Identity (ID)	Cagrilintide	**Confirmed**	-	PASS
Sterility (PCR)	No Growth	**No Growth**	-	PASS
Endotoxin (USP <85>)	< 0.05 EU/mL	**NMT 0.05 EU/mL**		PASS
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.05**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.01**	ppm	PASS
Lead (Pb)	<= 1.0 ppm	**0.09**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.13**	ppm	PASS
Chromium (Cr)	<= 10.0 ppm	**0.67**	ppm	PASS

Date Tested: 04/04/2026 | Method: Full Peptide QC Panel

HPLC Chromatogram



Representative chromatogram, Dedicated Sample 1 (99.56% purity, closest to batch mean of 99.55%)

Dr. Greg Kalyuzhny
Lab Director
4/4/2026

COA #: **COA-2026-0001**
Access Code: **ND2CHNOL**
Verify: portal.ils-lab.com/verify/VeCzBb2AyqJ8bpwb
Issued: 4/4/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cagrilintide - 5mg

PASS

Tested for: Glow Aminos
1178 Broadway, NY NY 10001 | www.glowaminos.com

COA #:	**COA-2026-0001**	Method:	**Full Peptide QC Panel**
Lot Number:	**GL-010094**	Analysis Date:	**04/04/2026**
Concentration:	**5mg**	Appearance:	**Good**
Received:	**04/02/2026**	Volume:	**3ml**

Scan to verify authenticity at ils-lab.com

The sample was confirmed to be Cagrilintide by HPLC. Identification by chromatographic retention time comparison with a reference standard.

Conformity Testing Results (3 samples tested)

Sample	Purity	Net Content	ID	Result
Dedicated Sample 1	99.56%	5.23 mg	Confirmed	**PASS**
Conformity Sample 4	99.41%	5.22 mg	Confirmed	**PASS**
Conformity Sample 5	99.68%	5.23 mg	Confirmed	**PASS**
Mean	**99.55%**	**5.23 mg**	—	—
Std Dev	**0.1105%**	**0.0047 mg**	—	—

Representative chromatogram, Dedicated Sample 1 (99.56% purity, closest to batch mean of 99.55%)

Dr. Greg Kalyuzhny
Lab Director
4/4/2026

COA #: **COA-2026-0001**
Access Code: **ND2CHNOL**
Verify: portal.ils-lab.com/verify/VeCzBb2AyqJ8bpwb
Issued: 4/4/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.