

Certificate of Analysis



Client:
Polaris Peptides

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=LKPKBR34AZ3Y

Sample Information

Sample Name	Tirzepatide 10mg, 3 vials	Client SID	POL-T10-18	Published	2026-03-12 11:19
--------------------	---------------------------	-------------------	------------	------------------	------------------

Results

Sample IDs	SPL-3241	SPL-3241-S01	SPL-3241-S02
TM-1001 Assay	11.211 mg	11.282 mg	11.253 mg
TM-1001 Purity	99.559 %	99.871 %	99.608 %
TM-1001 ID by RT	1.00	1.00	1.00
TM-1001 ID by Spectral	1000	1000	1000
TM-1001 Coelution Control	1000	1000	1000
TM-1001 System Suitability	0.2 %RSD	0.2 %RSD	0.2 %RSD

Comments for SPL-3241

General

Lab Note: Slight vial to vial purity variation noted during write up. Small peak present at approx 4.1min is contributing to slightly lower purity value for SPL-3241 and SPL-3241-S02. This small peak is not present in SPL-3241-S01 resulting in a slightly higher purity value.

Approvals

Created by



Ashlee Lust
President

Reviewed by



Joshua Lust
Managing Director

Attachments for SPL-3241



Attachment for SPL-3241
Filename: SPL-3241.png