Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

MOTS-c - 10mg

PASS

Tested for: Crush Research
https://www.crushresearch.shop/

COA #:	**COA-2026-TCT0QG**	Method:	**Full QC Panel**
Lot Number:	**CR-MTS10-0309-1**	Analysis Date:	**05/11/2026**
Accession #:	**ACC-2026-2076**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Powder**	Received:	**05/06/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity
MOTS-c	**99.91%**




MOTS-c 10mg - CR-MTS10-0309-1

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.91%**	%	**PASS**
Net Peptide Content	Report Only	**10.42**	mg	N/A
Identity (ID)	MOTS-c	**Confirmed**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.84% purity, closest to batch mean of 99.86%)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.83%	10.69 mg	Confirmed	**PASS**
Conformity V1	99.84%	10.55 mg	Confirmed	**PASS**
Conformity V2	99.91%	10.42 mg	Confirmed	**PASS**
Mean	**99.86%**	**10.55 mg**	—	—
Std Dev	**0.0356%**	**0.1103 mg**	—	—

Dr. Greg Kalyuzhny
Lab Director
5/11/2026

COA #: **COA-2026-TCT0QG**
Access Code: **LLFI_AYC**
Verify: portal.ils-lab.com/verify/AlzaDZdOHtxcBjAi
Issued: 5/11/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

MOTS-c - 10mg

PASS

Tested for: Crush Research
https://www.crushresearch.shop/

COA #:	**COA-2026-TCT0QG**	Method:	**Full QC Panel**
Lot Number:	**CR-MTS10-0309-1**	Analysis Date:	**05/11/2026**
Accession #:	**ACC-2026-2076**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Powder**	Received:	**05/06/2026**

Scan to verify authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.09 EU/mL**		**PASS**

Notes & Methodology

1. Date Tested: 05/11/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be MOTS-c by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
4. Chromatogram shown is representative: Conformity V1 (99.84% purity, closest to batch mean of 99.86%).

Dr. Greg Kalyuzhny
Lab Director
5/11/2026

COA #: **COA-2026-TCT0QG**
Access Code: **LLFI_AYC**
Verify: portal.ils-lab.com/verify/AIzaDZdOHtxcBjAi
Issued: 5/11/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.