Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 5mg

PASS

Tested for: Crush Research
https://www.crushresearch.shop/

COA #:	**COA-2026-TEHYON**	Method:	**Full QC Panel**
Lot Number:	**CR-SLK5-2605-1**	Analysis Date:	**06/01/2026**
Accession #:	**ACC-2026-3099**	Appearance:	**Good**
Labeled Content:	**5mg**	Vial Size:	**3mL**
Sample Matrix:	**Lyophilized**	Date Received:	**05/22/2026**

Scan to verify authenticity at ils-lab.com
Access Code: CR9T6MKD

Identity	Peptide Purity	
Selank	**99.67%**	**Fentanyl Free**




Selank 5mg - CR-SLK5-2605-1

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.67%**	%	**PASS**
Net Peptide Content	Report Only	**5.28**	mg	N/A
Identity (HPLC-RTM)	Selank	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.66% purity, closest to batch mean of 99.66%)

Dr. Greg Kalyuzhny
Lab Director
6/1/2026

COA #: **COA-2026-TEHYON**
Access Code: **CR9T6MKD**
Verify: portal.ils-lab.com/verify/P1SUxKNXG44ClNv5
Issued: 6/1/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 5mg

PASS

Tested for: Crush Research
https://www.crushresearch.shop/

COA #:	**COA-2026-TEHYON**	Method:	**Full QC Panel**
Lot Number:	**CR-SLK5-2605-1**	Analysis Date:	**06/01/2026**
Accession #:	**ACC-2026-3099**	Appearance:	**Good**
Labeled Content:	**5mg**	Vial Size:	**3mL**
Sample Matrix:	**Lyophilized**	Date Received:	**05/22/2026**

Scan to verify authenticity at ils-lab.com
Access Code: CR9T6MKD

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.66%	5.26 mg	Confirmed	**PASS**
Conformity V1	99.66%	5.21 mg	Confirmed	**PASS**
Conformity V2	99.67%	5.28 mg	Confirmed	**PASS**
Mean	**99.66%**	**5.25 mg**	—	—
Std Dev	**0.0047%**	**0.0294 mg**	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Dr. Greg Kalyuzhny
Lab Director
6/1/2026

COA #: **COA-2026-TEHYON**
Access Code: **CR9T6MKD**
Verify: portal.ils-lab.com/verify/P1SUxKNXG44ClNv5
Issued: 6/1/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Selank - 5mg

PASS

Tested for: Crush Research
https://www.crushresearch.shop/

COA #:	**COA-2026-TEHYON**	Method:	**Full QC Panel**
Lot Number:	**CR-SLK5-2605-1**	Analysis Date:	**06/01/2026**
Accession #:	**ACC-2026-3099**	Appearance:	**Good**
Labeled Content:	**5mg**	Vial Size:	**3mL**
Sample Matrix:	**Lyophilized**	Date Received:	**05/22/2026**

Scan to verify authenticity at ils-lab.com
Access Code: CR9T6MKD

Notes & Methodology

1. Date Tested: 06/01/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be Selank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.66% purity, closest to batch mean of 99.66%).

Dr. Greg Kalyuzhny
Lab Director
6/1/2026

COA #: **COA-2026-TEHYON**
Access Code: **CR9T6MKD**
Verify: portal.ils-lab.com/verify/P1SUxKNXG44ClNv5
Issued: 6/1/2026