FREEDOM
DIAGNOSTICS

**Proudly Owned and Operated in the USA**

**Searchable via: FreedomDiagnosticsTesting.com**

# Certificate of Analysis

| | |
|---|---|
| **Accession Number** | 2509120034 |
| **Client** | OROS Research |
| **Search Code** | OROS2509120034 |

| | |
|---|---|
| **Received Date:** | 9/12/2025 |
| **Reported Date:** | 9/15/2025 |

| | |
|---|---|
| **Product** | Tesamorelin 5mg |
| **Net Peptide Content** | 6.63 mg |
| **Identity** | Tesamorelin |

| | |
|---|---|
| **Lot** | 398321 |
| **Purity** | 99.667% |
| **Appearance** | White Lyophylized Powder |

**All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry**

| Mass Identification | Result |
|---|---|
| **Tesamorelin** | **99.667%** |










*Stephen Schmidt*

Stephen Schmidt

Principal Chemist

## COA: 2509120034

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

# Certificate of Analysis

FREEDOM
DIAGNOSTICS

**Proudly Owned and Operated in the USA**

**Searchable via: FreedomDiagnosticsTesting.com**

| | |
|---|---|
| **Accession Number** | 2509120035 |
| **Client** | OROS Research |
| **Search Code** | OROS2509120035 |

| | |
|---|---|
| **Received Date:** | 9/12/2025 |
| **Reported Date:** | 9/15/2025 |

| | |
|---|---|
| **Product** | Tesamorelin 5mg |

| | |
|---|---|
| **Lot** | 398321 |

**All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines**

| Endotoxin Threshold | | Result |
|---|---|---|
| **Replicate 1** | **≤ 0.05 EU/mL** | **Pass** |
| **Replicate 2** | **≤ 0.05 EU/mL** | **Pass** |




*Stephen Schmidt*

**COA: 2509120035**

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.