

Client Glacier Aminos

Analyzed 04/09/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Melanotan-2	Form	Lyophilized powder
Batch	MT210GA-03	Labeled Qty	10mg
Mol. Formula	C50H69N15O9	CAS Number	121062-08-6
Cap Color	YELLOW	Crimp Color	SILVER

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.919%
Batch Avg Net Content	(10mg ± 10%)	11.00 mg
Identity Confirmation (LC-MS)	(Melanotan-2)	Melanotan-2
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.928	11.03
Vial 2	99.911	10.96
Vial 3	99.918	11.01
Batch Average	99.919%	11.00 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-D525D2
Access Code: PXIKN0G