


Summary of Results

Analysis Type	Method	Date Tested	Status	
Peptides	HPLC	04/09/2026	Complete	
Bacterial Endotoxins	USP <85>	04/09/2026	Complete	
Heavy Metals	ICP-MS	04/07/2026	Pass	
Microbiological	Petrifilm/qPCR	04/08/2026	Pass	

Serving Size: N/A

Peptide Analysis

Analyte	Result	Specification	LOD
Thymosin Alpha-1	5.18mg/vial	5mg/vial	0.1%
Identity of the analyte was confirmed by retention time concordance with a certified reference standard, per USP <621>.			
Chromatographic Purity	>99%	>99%	0.1%
Bacterial Endotoxins (Gel-Clot: 1:10 Dilution)	<1.25 EU/ml	<5 EU/ml	$\lambda =$ 0.125 EU/mL

NOTES: Injectable peptides may include acceptable salts, sugars, or buffering agents added to improve solubility and stability. These excipients are non-chromophoric, typically not detected by HPLC, and are not considered impurities. Two vials were tested for variability, and the average result is reported above.

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Heavy Metal Analysis (USP <233>)

Analyte	Result (mcg/vial)	LOQ (ppm)	LOD (ppm)	Limit (mcg/day)	Pass/Fail
Arsenic	0.012	0.010	0.005	0.5	Pass
Cadmium	<LOQ	0.010	0.005	0.1	Pass
Lead	0.014	0.010	0.005	0.5	Pass
Mercury	<LOQ	0.010	0.005	0.1	Pass

Microbiological Analysis (USP <61>, USP <62>)

Microbe	Result	Limit	Pass/Fail
Total Aerobic Plate	<10 CFU/g	<100 CFU/g	Pass
Coliform	<10 CFU/g	<10 CFU/g	Pass
Bile-Tolerant Gram-Negative Bacteria	<10 CFU/g	<10 CFU/g	Pass
Yeast and Mold	<10 CFU/g	<10 CFU/g	Pass
Escherichia Coli	Negative/1g	Negative/1g	Pass
Salmonella	Negative/1g	Negative/1g	Pass
Staphylococcus Aureus	Negative/1g	Negative/1g	Pass

NOTES:

CFU = Colony Forming Unit
NS = Not Specified
NT = Not Tested

LOQ = Limit of Quantification
LOD = Limit of Detection

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.