KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-9B15DA

Client Glacier Aminos

Analyzed 03/26/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157	**Form**	Lyophilized powder
Batch	BPC10GA-05	**Labeled Qty**	10mg
Mol. Formula	C62H98N16O22	**CAS Number**	1628202-19-6
Cap Color	WHITE	**Crimp Color**	SILVER

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.951% ✓
Batch Avg Net Content	(10mg ± 10%)	10.98 mg ✓
Identity Confirmation (LC-MS)	(BPC-157)	BPC-157 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result
Lead (Pb)	Negative
Cadmium (Cd)	Negative
Arsenic (As)	Negative
Mercury (Hg)	Negative

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.939	10.93
Vial 2	99.982	10.99
Vial 3	99.932	11.01
Batch Average	**99.951%**	**10.98 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



David Cohen
Lab Director

koveralabs.com/verify

Report#: KVR-2026-9B15DA
Access Code: DCST6UN