

Client: Ion Peptide

Certified: 05/28/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

|              |                      |             |                    |
|--------------|----------------------|-------------|--------------------|
| Product      | Biotinoyl Tripeptide | Form        | Lyophilized powder |
| Batch        | BT10-05122026        | Labeled Qty | 1 g                |
| Mol. Formula | C39H75N7O10          | CAS Number  | 214047-00-4        |
| Cap Color    | Clear                | Crimp Color | Clear              |

TEST RESULTS

|                               | REFERENCE STANDARD     | RESULT               |
|-------------------------------|------------------------|----------------------|
| Batch Avg Purity              | (>98%)                 | 99.677%              |
| Batch Avg Net Content         | (0.00 g ± 10%)         | 1.05 g               |
| Identity Confirmation (LC-MS) | (Biotinoyl Tripeptide) | Biotinoyl Tripeptide |
| Endotoxin Safety Screen       | (≤0.5 EU/mL)           | PASS                 |
| Microbial Sterility Screen    | (No Growth)            | No Growth            |

HEAVY METAL SCREENING


| Analyte      | Result   | Status |
|--------------|----------|--------|
| Arsenic (As) | Negative |        |
| Cadmium (Cd) | Negative |        |
| Lead (Pb)    | Negative |        |
| Mercury (Hg) | Negative |        |

BATCH CONFORMITY RESULTS

| Vial          | Purity (%) | Net Content (mg) |
|---------------|------------|------------------|
| Vial 1        | 99.791     | 1.06             |
| Vial 2        | 99.564     | 1.04             |
| Batch Average | 99.677%    | 1.05 mg          |

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandival  
Lab Director



koveralabs.com/verify

Report#: KVR-2026-063273  
Access Code: PD6YPKV