

Client: Ion Peptide

Certified: 04/22/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-500	Form	Lyophilized powder
Batch	BB10-04202026	Labeled Qty	10 mg
Cap Color	Blue	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.758%
Blend Avg Net Content	(10mg ± 10%)	11.73 mg
Blend Identification (LC-MS)	(BPC-157/TB-500)	BPC-157/TB-500
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Microbial Sterility Screen	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.771	11.56
Vial 2	99.746	11.89
Batch Average	99.758%	11.73 mg

BLEND COMPONENT ANALYSIS


Component	Labeled	Measured
BPC-157	5 mg	5.64 mg
TB-500	5 mg	5.92 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lamar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-56F742
Access Code: TSX7M36