

Client: Glacier Aminos

Certified: 06/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Semax/Selank	Form	Lyophilized powder
Batch	SXSK10GA-02	Labeled Qty	20 mg
Cap Color	WHITE	Crimp Color	SILVER

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.597%
Blend Avg Net Content	(~20mg)	14.62 mg
Blend Identification (LC-MS)	(Semax/Selank)	Semax/Selank
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS
Fentanyl Presence Analysis	(Not Detected)	Not Detected
14 Day Sterility Screening	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.617	22.04
Vial 2	99.323	10.74
Vial 3	99.851	11.07
Batch Average	99.597%	14.62 mg

BLEND COMPONENT ANALYSIS


Component	Labeled	Measured
Selank	10 mg	10.88 mg
Semax	10 mg	11.16 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	< 0.15	
Cadmium (Cd)	< 0.05	
Lead (Pb)	< 0.5	
Mercury (Hg)	< 0.3	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandinal
Lab Director



koveralabs.com/verify

Report#: KVR-2026-E4FFD5
Access Code: 1990EY1