

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

SS-31 - 10mg

Tested for: Mile High Peptide
www.milehighpeptide.com

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: TU7YBGFU

COA #: COA-2026-954639
Lot Number: MHP-LP726
Labeled Content: 10mg
Sample Matrix: Lyophilized

Analysis Date: 07/31/2026
Appearance: Good
Volume: 3mL
Date Received: 07/17/2026

Method: Blend Purity, Identity & Quantitation (HPLC)


Identity
SS-31

Peptide Purity
99.57%

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.57%	%	PASS
Net Peptide Content	Report Only	10.47	mg	N/A
Identity (HPLC-RTM)	SS-31	Confirmed	-	PASS

HPLC Chromatogram



SS-31 10mg - MHP-LP726: UV Chromatogram

Notes & Methodology

- Date Tested: 07/31/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be SS-31 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-954639
Access Code: TU7YBGFU
Verify: portal.ils-lab.com/verify/aBlpYRgPGUGQoesP
Issued: 7/31/2026