

Customer:
Nova Research

EA Sample ID: 26EA0624-048
Sample Name: SEMAX/SELANK
Sample Type: Liquid
Batch/Lot: NV-S-U3M8

Date Received:
06/25/2026
Date Completed:
06/30/2026



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	Method	Date Tested	Status		
Peptides	HPLC	06/30/2026	Complete		

Serving Size: N/A

Peptide Analysis

Analyte	Result	Specification	LOD
Semax/Selank	10.12/10.18mg/bottle	10/10mg/bottle	0.1%
Identity of the analyte was confirmed by retention time concordance with a certified reference standard, per USP <621>.			

NOTES:

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION



Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798

Noel Samsum
Laboratory Director
30-Jun-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.