



11526 Sorrento Valley Road, Suite B-2 ♦ San Diego, CA 92121 ♦ USA

Phone 858-793-6057 ♦ Fax 858-793-2607

February 19, 2026

NuMega Reference #

2600KIME.942N

Kimera Chems

Quantitative Analysis Report


Bruker 500 MHz, AVII-500 and AV-500

Sample ID	Lemairamin
Standard	Ethylene Carbonate
Weight of Standard (wt _{st})	1.205
Weight of Sample (wt _{sa})	8.809
Assumed Sample Molecular Weight (MW _{sa})	311.38
Standard Molecular Weight (MW _{st})	88.06
Integration of Sample (I _{sa})	51.32
Integration of Standard (I _{st})	100
# of Equivalent Nuclei in Standard (n _{st})	4
# of Equivalent Nuclei in Sample (n _{sa})	1
Assigned Purity of Standard % (P)	99.71
Purity %	99.0%


Formula Used for Calculation:

$$WT\% = \frac{wt_{st}}{wt_{sa}} \times \frac{MW_{sa}}{MW_{st}} \times \frac{I_{sa}}{I_{st}} \times \frac{n_{st}}{n_{sa}} \times P$$


2600KIME.942N
Lemairamin
DMSO, QH-1
NUMEGA 2-18-2026




2600KIME.942D
Lemairamin
DMSO, H-1
NUMEGA 2-13-2026




2600KIME.942D
Lemairamin
DMSO, H-1
NUMEGA 2-13-2026




2600KIME.942D
Lemairamin
DMSO, H-1
NUMEGA 2-13-2026




2600KIME.942H
Lemairamin
DMSO, C-13
NUMEGA 2-13-2026



2600KIME.942H
Lemairamin
DMSO, C-13
NUMEGA 2-13-2026




2600KIME.942H
Lemairamin
DMSO, C-13
NUMEGA 2-13-2026



NuMega Resonance Labs
Sample Name: LEMAIRAMIN 2600KIME.942D
Acq. Date: Tuesday, February 17,
2026

Polarity/Scan Type: Positive Q1 MS



NuMega Resonance Labs
Sample Name: LEMAIRAMIN 2600KIME.942D
Acq. Date: Tuesday, February 17,
2026

Polarity/Scan Type: Negative Q1 MS

