Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity	
Glow	99.70%	Fentanyl Free



Glow 70mg - GL-010115

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.70%**	%	PASS
Net Blend Peptide Content	Report Only	**72.16**	mg	N/A
-- GHK-Cu (72%)		*51.96*	*mg*	
-- BPC-157 (14.2%)		*10.25*	*mg*	
-- TB-4 (13.8%)		*9.96*	*mg*	
Identity (ID)	GHK-CU + BPC-157 + TB-4	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.079 ppm**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.152 ppm**	ppm	PASS
Lead (Pb)	<= 1 ppm	**0.077 ppm**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.073 ppm**	ppm	PASS
Chromium (Cr)	<= 10 ppm	**0.889 ppm**	ppm	PASS

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg


PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.61% purity, closest to batch mean of 99.66%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.61%	71.84 mg	Confirmed	**PASS**
Conformity V1	99.70%	72.16 mg	Confirmed	**PASS**
Mean	**99.66%**	**72.00 mg**	—	—
Std Dev	**0.0450%**	**0.1600 mg**	—	—

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.056 EU/mL**		**PASS**

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

Notes & Methodology

1. Date Tested: 05/15/2026. Methods: Purity & Quant (HPLC); Heavy Metals (ICP-MS).
2. The sample was confirmed to be Glow by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu 72%, BPC-157 14.2%, TB-4 13.8%). All components confirmed present by HPLC identity testing.
4. Chromatogram shown is representative: Dedicated V0 (99.61% purity, closest to batch mean of 99.66%).

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026