Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-0007**	Method:	**Full QC Panel**
Lot Number:	**GL-010086**	Analysis Date:	**04/11/2026**
Concentration:	**10mg**	Appearance:	**Good**
Sample Matrix:	**Lyophilized**	Volume:	**3ml**
Received:	**04/08/2026**		

Scan to verify authenticity at ils-lab.com

Identity	Purity
Tesamorelin	**99.84%**




Tesamorelin 10mg - GL-010086

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	**99.84%**	%	**PASS**
Net Peptide Content	Report Only	**10.48**	mg	N/A
Identity (ID)	Tesamorelin	**Confirmed**	-	**PASS**
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**
Endotoxin (USP <85>)	< 0.05 EU/mL	**NMT 0.05 EU/mL**		**PASS**
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**Not Detected**	ppm	**PASS**
Cadmium (Cd)	<= 0.5 ppm	**0.05 ppm**	ppm	**PASS**
Lead (Pb)	<= 1.0 ppm	**0.09 ppm**	ppm	**PASS**
Mercury (Hg)	<= 1.5 ppm	**0.05 ppm**	ppm	**PASS**
Chromium (Cr)	<= 10.0 ppm	**0.16 ppm**	ppm	**PASS**

Date Tested: 04/11/2026 | Method: Full QC Panel

HPLC Chromatogram



Representative chromatogram, Conformity V2 (99.80% purity, closest to batch mean of 99.79%)

Dr. Greg Kalyuzhny
Lab Director
4/11/2026

COA #: **COA-2026-0007**
Access Code: **TVJFHONU**
Verify: portal.ils-lab.com/verify/yGISVx9-qgHOEbY_
Issued: 4/11/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-0007**	Method:	**Full QC Panel**
Lot Number:	**GL-010086**	Analysis Date:	**04/11/2026**
Concentration:	**10mg**	Appearance:	**Good**
Sample Matrix:	**Lyophilized**	Volume:	**3ml**
Received:	**04/08/2026**		

Scan to verify authenticity at ils-lab.com

The sample was confirmed to be Tesamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.

Conformity Testing Results (3 samples tested)

Sample	Purity	Net Content	ID	Result
Dedicated V0	99.84%	10.48 mg	Confirmed	PASS
Conformity V1	99.74%	10.47 mg	Confirmed	PASS
Conformity V2	99.80%	10.48 mg	Confirmed	PASS
Mean	**99.79%**	**10.48 mg**	—	—
Std Dev	**0.0411%**	**0.0047 mg**	—	—

Representative chromatogram, Conformity V2 (99.80% purity, closest to batch mean of 99.79%)

Dr. Greg Kalyuzhny
Lab Director
4/11/2026

COA #: **COA-2026-0007**
Access Code: **TVJFHONU**
Verify: portal.ils-lab.com/verify/yGISVx9-qgHOEbY_
Issued: 4/11/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.