KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-E6C80D

Client Glacier Aminos **Analyzed** 04/04/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Tesamorelin	**Form**	Lyophilized powder
Batch	TES10GA-06	**Labeled Qty**	10mg
Mol. Formula	C221H366N72O67S	**CAS Number**	901758-09-6
Cap Color	CLEAR	**Crimp Color**	BLACK

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.936% ✓
Batch Avg Net Content	(10mg ± 10%)	10.77 mg ✓
Identity Confirmation (LC-MS)	(Tesamorelin)	Tesamorelin ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.932	10.79
Vial 2	99.876	10.81
Vial 3	99.999	10.70
Batch Average	**99.936%**	**10.77 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





David Cohen
Lab Director

koveralabs.com/verify

Report#: KVR-2026-E6C80D
Access Code: LHLU0E4